VAN DER WEKKEN
GRAFISCHE MACHINES

# PAPERCONVERTING

## DIGISTAR WPPP 1100 | 2010

| | |
|---|---|
| **Year** | 2010 |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | Full window patching line, Timed belt feeder with chain station, Gluing station, Pick & place feeder with 1 window magazine, Window patching station, Carton aligning system, Vacuum upper driver for delivery, Kit tele-service, Delivery belt, IWT Dynatec Dynamelt Hot-melt with 2 pistols |

## HEIBER AND SCHRÖDER CE 650-1 | 2001

| | |
|---|---|
| **Year** | 2001 |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | Pos 1.1 Belt feeder, Pos 2 Chain alignment station, single lane, Pos 3 Four (4) cliché discs, working width 40mm, Pos 4 Carton erecting tower for conical boxes, single lane, Pos 11.1 Electronic counter with marking device using pin marking, Additional device for the production of double shell trays with inner and outer gluing, Pos 14 Cliché additional gluing unit, working width 80mm, Pos 15 Pre-creasing roller for folding along the centerline of a double shell tray, Pos 20 First folding station for longitudinal folding of two parallel walls without gluing application, Additional device for the production of trays with double folded sidewalls on four sides, Pos 20.1 Additional folding tools for folding the outer panels, Pos 20.2 Additional folding tools for one left and right downward fold, NORDSON Hotmelt gluing station with four (4) guns |

# PRESS

## KBA RA 105-5+L ALV 2 CX (P40) | 2005

| | |
|---|---|
| **Year** | 2005 |
| **Impressioncount** | 250 mio |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | CX package up to 1.2MM, Varidamp dampening units with Technotrans refrigeration and re-circulation unit, Alcoprint 3000, FAPC, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Dedicated coater with chambered doctor blades Harris and Bruno, IR dryer, ALV 2 (2400MM) delivery, Grafix Megatronic S powderspray, Steelplate feeder and delivery, Raised 510MM, Watercooled machine, Densitronic S 2004/105 |

## HEIDELBERG PM 52-5 | 2005

| | |
|---|---|
| **Year** | 2005 |
| **Impressioncount** | 31 mio |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | Prinect Classic Center with ink remote control, Alcolor dampening units with Baldwin refrigeration and re-circulation unit, Heidelberg AUTOPLATE, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket cylinders, Electronic side-lay control, Grafix Alphatronic 200 powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour, Books, tools and schedules |

## HEIDELBERG CD 102-5+L (X1) | 2016

| | |
|---|---|
| **Year** | 2016 |
| **Impressioncount** | 96 mio |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller |

## HEIDELBERG XL 75-7 LX UV F | 2013

| | |
|---|---|
| **Year** | 2013 |
| **Impressioncount** | 82 mio |
| **View** | In production |
| **Availability** | 2/2026 |
| **Specifications** | HYBRID machine, Prinect Press Center, Prinect Axis Control, InstantStart, WallScreen, AutoPlate, CANopen, Alcolor with dampening Technotrans CombiStar, 4 x IST UV Interdecks, interchangable all positions, IST UV end dryer, DryStar IR Combination, InkIline, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Technotrans Inking unit temperature control, Intercom, StaticStar Advanced, AirStar Pro, Dedicated coater with chambered doctor blades, Extended delivery X3, Non-Stop feeder, Non-Stop delivery with racks, F-size: 605 x 750MM, Watercooled machine |

## TOPPY 720 X 1040MM | 2008

| | |
|---|---|
| **Year** | 2008 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Electric moveable pile turner, 72 x 104 CM, capacity 1000KG |

## HEIDELBERG OHT FOLIEDEGEL | 1968

| | |
|---|---|
| **View** | Dismantled |
| **Availability** | 10/2025 |
| **Specifications** | Platin with foil |

## HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

| | |
|---|---|
| **Year** | 2018 |
| **Impressioncount** | 184 Mio |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air- cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour |

## KBA RA 105U-5+L ALV 2 PWVA | 2008

| | |
|---|---|
| **Year** | 2008 |
| **Impressioncount** | 236 Mio |
| **View** | In production |
| **Availability** | 11/2025 |
| **Specifications** | Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE |

## KOMORI LS 840P | 2004

| | |
|---|---|
| **Year** | 2004 |
| **Impressioncount** | 160 mio |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4 |

## BOBST SP 102E | 1992

| | |
|---|---|
| **Year** | 1992 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Stripping |

## IBERICA SPD 105F | 2007

| | |
|---|---|
| **Year** | 2007 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure |

## ASCON 700 | 2000

| | |
|---|---|
| **Year** | 2000 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Pile tuner |

## HEIDELBERG GTO 52-2 | 1999

| | |
|---|---|
| **Year** | 1999 |
| **Impressioncount** | 19 mio |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Heidelberg DDS dampening units, Lasercut inkducts with lameladjustment, Powderspray, Plusversion |

## HEIDELBERG SPEEDMASTER PM 52-2 | 2007

| | |
|---|---|
| **Year** | 2007 |
| **Impressioncount** | 27 mio |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Press Control, Lasercut inkducts with lameladjustment, Alcolor dampening with Baldwin unit, Heidelberg EasyPlate, Automatic wash-up devices for inkingrollers and blanketcylinders, Mediprint powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour |




## HEIDELBERG OHT WITH FOIL | 1973

| | |
|---|---|
| **Year** | 1973 |
| **View** | Dismantled |
| **Availability** | 10/2025 |
| **Specifications** | Platin with foil |

## MAN ROLAND INLINEFOILER PRINDOR

| | |
|---|---|
| **Year** | 2008 |
| **View** | In production |
| **Availability** | 11/2023 |
| **Specifications** | Cold foil enchancement, Free run single reel InlineFoiler, Model for mounting on two printing units for the cold foil transfer process, Suitable to MAN ROLAND R 700 presses. |

## RYOBI 512H

| | |
|---|---|
| **Year** | 1998 |
| **View** | Dismantled |
| **Impressioncount** | 17 mio. |
| **Availability** | 12/2023 |
| **Specifications** | Alcohol dampening with MGE coolunit, Powderspray, Books, tools and schedules. |

## BOBST MEDIA 100 III A2 | 2000

| | |
|---|---|
| **Year** | 2000 |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | Straight-line, Lock-bottom |

## BOBST DOMINO 100-M | 1980

| | |
|---|---|
| **Year** | 1980 |
| **View** | In production |
| **Availability** | 1/2026 |
| **Specifications** | Straight-line, Lock-bottom, 4 corner, HHS gluing station 2 guns |

## HEIDELBERG BCUH 56/6 | 2008

| | |
|---|---|
| **Year** | 2008 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | FFH 56 flatpile feeder, 6 buckles parallel, 2 knives, Folding plate, Anti-Noise hoods, HHS glue unit, SPH 70 delivery, Pump, Size max 56x90CM, Size min 14x18CM |

## POLAR 92ED FLOW LINE | 2003

| | |
|---|---|
| **Year** | 2003 |
| **View** | In production |
| **Availability** | 9/2025 |
| **Specifications** | Programs, photocells, airtable, sidetable left and right with air, RA2 jogger with air removal, POLAR LW 1000-4 lift, Scale |

## BOBST DOMINO 110-M | 1987

| | |
|---|---|
| **Year** | 1987 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Straight line, Lock bottom, 4 + 6 pt gluing, HHS gluing station 4 channels – 3 guns |

## MULLER MARTINI VENTURA 3215 | 2007

| | |
|---|---|
| **Year** | 2007 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour |



## THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

| | |
|---|---|
| **Year** | 2002 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | 15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer |

## HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

| | |
|---|---|
| **Year** | 2007 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Ti-52 first section 4 buckles, Ti52 second section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump |

## HOHNER HSB 7000 (6+1)

| | |
|---|---|
| **Year** | 2007 |
| **View** | In production |
| **Availability** | 10/2025 |
| **Specifications** | Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules |

## MULTIMASTER CAS 35/2 PBA

| | |
|---|---|
| **Year** | 2006 |
| **View** | In production |
| **Availability** | 06/2025 |
| **Specifications** | Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM |