




VAN DER WEKKEN
GRAFISCHE MACHINES

PAPERCONVERTING



DIGISTAR WPPP 1100 | 2010

Year	2010
View	In production
Availability	1/2026
Specifications	Full window patching line, Timed belt feeder with chain station, Gluing station, Pick & place feeder with 1 window magazine, Window patching station, Carton aligning system, Vacuum upper driver for delivery, Kit tele-service, Delivery belt, IWT Dynatec Dynamelt Hot-melt with 2 pistols



HEIBER AND SCHRÖDER CE 650-1 | 2002

Year	2002
View	In production
Availability	1/2026
Specifications	Pos 1.1 Belt feeder, Pos 2 Chain alignment station, single lane, Pos 3 Four (4) cliché discs, working width 40mm, Pos 4 Carton erecting tower for conical boxes, single lane, Pos 11.1 Electronic counter with marking device using pin marking, Pos 14 Cliché additional gluing unit, working width 80mm, Pos 15 Pre-creasing roller for folding along the centerline of a double shell tray, Pos 20 First folding station for longitudinal folding of two parallel walls without gluing application, Pos 20.1 Additional folding tools for folding the outer panels, Pos 20.2 Additional folding tools for one left and right downward fold, Hotmelt station with four (4) guns



HEIBER AND SCHRÖDER CE 1000-2 | 2020

Year	2020
View	In production
Availability	1/2026
Specifications	Pos M0 – Processor-controlled belt feeder – Alignment chain station – Universal forming station – Double lane, Pos G1 Cliché gluing station with 8 individually adjustable discs for gold glue application from above (printed side), Pos C1.1 Electronic counter with marking device via pin marking (2-lane), Pos F3 – Suction feed for belt feeder – Individually adjustable for all feeding belts – Continuous suction air and intermittent suction air possible, Pos F5 – Automatic cleaning system for all feeding belts



– Air nozzles and brush rollers for all feeder belts, Pos 90 Two (2x) Pneumatic folding swords



HEIBER AND SCHRÖDER CE 1000-2 | 2015

Year

2015

View

In production

Availability

1/2026

Specifications

Pos M0

- Processor-controlled belt feeder
- Alignment chain station
- Universal forming station
- Double lane, Pos G1 Cliché gluing station with 8 individually adjustable discs for gold glue application from above (printed side), Pos C1.1 Electronic counter with marking device via pin marking (2-lane), Pos A4 Universal forming tower, double-lane, Pos A5 Setup frame for double lane forming tower, Pos 99 1 m additional U-profiles pro lane for extension of the pressure section



HEIBER AND SCHRÖDER CE 1000-2 | 2017

Year

2017

View

In production

Availability

1/2026

Specifications

Pos M0

- Processor-controlled belt feeder
- Alignment chain station
- Universal forming station
- Double lane, Pos G1 Cliché gluing station with 8 individually adjustable discs for gold glue application from above (printed side), Pos C1.1 Electronic counter with marking device via pin marking (2-lane), Pos A 3.2 Two (2) additional quick-change forming tools (2 forming blocks and 2 forming drums) for double shell production, Pos A6 Height adjustable stacking table
- Moveable
- Double lane, Pos F3
- Suction feed for belt feeder
- Individually adjustable for all feeding belts
- Continuous suction air and intermittent suction air possible, Pos F5
- Automatic cleaning system for all feeding belts
- Air nozzles and brush rollers for all feeder belts, Pos 90 Pneumatic folding sword, for single-lane operation



VAN DER WEKKEN
GRAFISCHE MACHINES



HEIBER AND SCHRÖDER CE 650-1 | 2001

Year

2001

View

In production

Availability

1/2026

Specifications

Pos 1.1 Belt feeder, Pos 2 Chain alignment station, single lane, Pos 3 Four (4) cliché discs, working width 40mm, Pos 4 Carton erecting tower for conical boxes, single lane, Pos 11.1 Electronic counter with marking device using pin marking, Additional device for the production of double shell trays with inner and outer gluing, Pos 14 Cliché additional gluing unit, working width 80mm, Pos 15 Pre-creasing roller for folding along the centerline of a double shell tray, Pos 20 First folding station for longitudinal folding of two parallel walls without gluing application, Additional device for the production of trays with double folded sidewalls on four sides, Pos 20.1 Additional folding tools for folding the outer panels, Pos 20.2 Additional folding tools for one left and right downward fold, NORDSON Hotmelt gluing station with four (4) guns



HEIBER & SCHRÖDER CE 850.2

Year

2005

View

In production

Availability

10/2025

Specifications

carton erecting / tray forming machine, Max width: 850MM, Max length: 450MM, Twin stream, Transport chain station, Servo controlled timed feeder, Coldglue, Hamburger device (8 point boxes)

PRESS



KBA RA 105-5+L ALV 2 CX (P40) | 2005

Year

2005

Impressioncount

250 mio

View

In production

Availability

1/2026

Specifications

CX package up to 1.2MM, Varidamp dampening units with Technotrans refrigeration and re-circulation unit, Alcoprint 3000, FAPC, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Dedicated coater with chambered doctor blades Harris and Bruno, IR dryer, ALV 2 (2400MM) delivery, Grafix Megatronic S powderspray, Steelplate feeder and



HEIDELBERG PM 52-5 | 2005

Year	2005
Impressioncount	31 mio
View	In production
Availability	1/2026
Specifications	Prinect Classic Center with ink remote control, Alcolor dampening units with Baldwin refrigeration and re-circulation unit, Heidelberg AUTOPLATE, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket cylinders, Electronic side-lay control, Grafix Alphatronic 200 powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour, Books, tools and schedules



HEIDELBERG CD 102-5+L (X1) | 2016

Year	2016
Impressioncount	96 mio
View	In production
Availability	1/2026
Specifications	Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



HEIDELBERG XL 75-7 LX UV F | 2013

Year	2013
Impressioncount	82 mio
View	In production
Availability	2/2026
Specifications	HYBRID machine, Prinect Press Center, Prinect Axis Control, InstantStart, WallScreen, AutoPlate, CANopen, Alcolor with dampening Technotrans CombiStar, 4 x IST UV Interdecks, interchangeable all positions, IST UV end dryer, DryStar IR Combination, Inkline, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Technotrans Inking unit temperature control, Intercom, StaticStar



Advanced, AirStar Pro, Dedicated coater with chambered doctor blades, Extended delivery X3, Non-Stop feeder, Non-Stop delivery with racks, F-size: 605 x 750MM, Watercooled machine



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018 (KOPIE)

Year	2008
Impressioncount	
View	In production
Availability	10/2025
Specifications	Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



TOPPY 720 X 1040MM | 2008

Year	2008
View	In production
Availability	10/2025
Specifications	Electric moveable pile turner, 72 x 104 CM, capacity 1000KG

HEIDELBERG OHT FOLIEDEGEL | 1968

View	Dismantled
Availability	10/2025
Specifications	Platin with foil



VAN DER WEKKEN
THE MACHINES



HEIDELBERG S CYLINDER | 1961

Year	1961
View	Dismantled
Availability	10/2025
Specifications	72 x 54 CM



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

Year	2018
Impressioncount	184 Mio
View	In production
Availability	10/2025
Specifications	Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 105U-5+L ALV 2 PWVA | 2008



Year	2008
Impressioncount	236 Mio
View	In production
Availability	11/2025
Specifications	Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



KOMORI LS 840P | 2004

Year	2004
Impressioncount	160 mio
View	In production
Availability	10/2025
Specifications	PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4



BOBST SP 102E | 1992

Year	1992
View	In production
Availability	10/2025
Specifications	Stripping



IBERICA SPD 105F | 2007

Year	2007
View	In production
Availability	10/2025
Specifications	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate



loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Year	2000
View	In production
Availability	10/2025
Specifications	Pile tuner



HEIDELBERG GTO 52-2 | 1999

Year	1999
Impressioncount	19 mio
View	In production
Availability	10/2025
Specifications	Heidelberg DDS dampening units, Lasercut inkducts with lameladjustment, Powderspray, Plusversion



HEIDELBERG SPEEDMASTER PM 52-2 | 2007

Year	2007
Impressioncount	27 mio
View	In production
Availability	10/2025
Specifications	Press Control, Lasercut inkducts with lameladjustment, Alcolor dampening with Baldwin unit, Heidelberg EasyPlate, Automatic wash-up devices for inkingrollers and blanketcylinders, Mediprint powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour



HEIDELBERG OHT WITH FOIL | 1973

Year	1973
View	Dismantled
Availability	10/2025
Specifications	Platin with foil



VAN DER WEKKEN
GRAFISCHE MACHINES

MAN ROLAND INLINEFOILER PRINDOR



Year
View
Availability
Specifications

2008
In production
11/2023
Cold foil enhancement, Free run single reel InlineFoil, Model for mounting on two printing units for the cold foil transfer process, Suitable to MAN ROLAND R 700 presses.



RYOBI 512H

Year
View
Impressioncount
Availability
Specifications

1998
Dismantled
17 mio.
12/2023
Alcohol dampening with MGE coolunit, Powderspray, Books, tools and schedules.

POST-PRESS



BOBST MEDIA 100 III A2 | 2000

Year
View
Availability
Specifications

2000
In production
1/2026
Straight-line, Lock-bottom

BOBST DOMINO 100-M | 1980

Year
View
Availability
Specifications

1980
In production
1/2026
Straight-line, Lock-bottom, 4 corner, HHS gluing station 2 guns



VAN DER WEKKEN
THE MACHINES



VEGA POLARIS 110 | 2006

Year	2006
View	In production
Availability	1/2026
Specifications	Straight-line, 100 cm through feeder, Crash lock bottom device, Central upper and lower conveyor, Device to run 4 corner with lid and 6 corner boxes, Conical box and crash lock bottom conical box device, Record sleeves device, KAS glue control, 5 coldglue, HHS XM-04-4 Hotmelt station with three pistols, VEGAPACK 44 semi automatic collector, Double pneumatic table, VEGA BELT



POLAR 137 ED-AT | 1998

Year	1998
View	In production
Availability	10/2025
Specifications	Autotrim, Programs, photocells, airtable, Spare knife



STAHLFOLDER KH 82/4KTL | 2009

Year	2009
View	Dismantled
Availability	10/2025
Specifications	PFH 82, pallet feeder, Touchscreen, BCAH 82 4 pockets, 2 knives, Electric Pocket setting, Anti-Noise hoods, Pump, Sheet size max: 820 x 1200MM, Sheet size min: 140 x 180MM, SBP 66.2 stacker



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIDELBERG BCUH 56/6 | 2008



Year
View
Availability
Specifications

2008
In production
10/2025
FFH 56 flatpile feeder, 6 buckles parallel, 2 knives, Folding plate, Anti-Noise hoods, HHS glue unit, SPH 70 delivery, Pump, Size max 56x90CM, Size min 14x18CM



POLAR 92ED FLOW LINE | 2003

Year
View
Availability
Specifications

2003
In production
9/2025
Programs, photocells, airtable, sidetable left and right with air, RA2 jogger with air removal, POLAR LW 1000-4 lift, Scale



BOBST DOMINO 110-M | 1987

Year
View
Availability
Specifications

1987
In production
10/2025
Straight line, Lock bottom, 4 + 6 pt gluing, HHS gluing station 4 channels – 3 guns



MULLER MARTINI VENTURA 3215 | 2007

Year
View
Availability
Specifications

2007
In production
10/2025
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



VAN DER WEKKEN
GRAFISCHE MACHINES



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Year	2002
View	In production
Availability	10/2025
Specifications	15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

Year	2007
View	In production
Availability	10/2025
Specifications	Ti-52 first section 4 buckles, Ti52 second section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump



HOHNER HSB 7000 (6+1)

Year	2007
View	In production
Availability	10/2025
Specifications	Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules



GUANGMING SW-1050B

Year	2016
View	In production
Availability	10/2025
Specifications	Laminator, Electromagnetic heating system, Auto feeder, Sidelay regulator, Human computer interface, Separation system, Corrugated delivery, Anti curvature device, Autom. stacker, Max. paper format 1050x820MM, Min. paper format 350x350MM, Laminating speed 0-60m/min.



VAN DER WEKKEN
GRAFISCHE MACHINES

MULTIMASTER CAS 35/2 PBA



Year

2006

View

In production

Availability

06/2025

Specifications

Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM