



VAN DER WEKKEN  
GRAFISCHE MACHINES

## PAPERCONVERTING



### HEIBER AND SCHRÖDER CE 850-2 | 2007

---

|                       |                                                                                                                       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>           | 2007                                                                                                                  |
| <b>View</b>           | In production                                                                                                         |
| <b>Availability</b>   | 10/26                                                                                                                 |
| <b>Specifications</b> | Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking |

## PRESS



### HEIDELBERG SM 52-5 | 2004

---

|                        |                                                                                                                                                                                                                                                                                                   |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>            | 2004                                                                                                                                                                                                                                                                                              |
| <b>Impressioncount</b> | 100 mio                                                                                                                                                                                                                                                                                           |
| <b>View</b>            | In production                                                                                                                                                                                                                                                                                     |
| <b>Availability</b>    | 1/2027                                                                                                                                                                                                                                                                                            |
| <b>Specifications</b>  | CP2000 Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders via CP2000, Heidelberg Autoplate, Grafix Alphatronic 200 powderspray, Superblue deliverydrum, + versions, 0,5MM thickness |



### HEIDELBERG SX 74-5 | 2017

---

|                        |                                                                                                                                                                                                                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>            | 2017                                                                                                                                                                                                                                                                                                                |
| <b>Impressioncount</b> | 38 Mio                                                                                                                                                                                                                                                                                                              |
| <b>View</b>            | In production                                                                                                                                                                                                                                                                                                       |
| <b>Availability</b>    | 1/2027                                                                                                                                                                                                                                                                                                              |
| <b>Specifications</b>  | Prinect Press Center 2, Prinect EasyControl, Alcolor dampening units with Technotrans HydroStar, AlcoSmart AZR, VARIO, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Anti-Static with ionisationblowers feeder, PowderStar AP 110, Lowpile delivery |



VAN DER WEKKEN  
GRAFISCHE MACHINES

## MAN ROLAND R 504 0B LV HIPRINT | 2008



|                        |                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>            | 2008                                                                                                                                                                                                                                                                                                                                                       |
| <b>Impressioncount</b> | 92 mio                                                                                                                                                                                                                                                                                                                                                     |
| <b>View</b>            | In production                                                                                                                                                                                                                                                                                                                                              |
| <b>Availability</b>    | 10/26                                                                                                                                                                                                                                                                                                                                                      |
| <b>Specifications</b>  | Graphometronic FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP 130 powderspray |



## HEIDELBERG CD 102-5+L (X1) | 2016

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>            | 2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Impressioncount</b> | 96 mio                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>View</b>            | In production                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Availability</b>    | 10/26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Specifications</b>  | Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller |



## HEIDELBERG OHT FOLIEDEGEL | 1968

|                       |                  |
|-----------------------|------------------|
| <b>View</b>           | Dismantled       |
| <b>Availability</b>   | 10/2025          |
| <b>Specifications</b> | Platin with foil |



VAN DER WEKKEN  
GRAFISCHE MACHINES

## KBA RA 105U-5+L ALV 2 PWVA | 2008



|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Year            | 2008                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Impressioncount | 236 Mio                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| View            | In production                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Availability    | 10/26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Specifications  | Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE |



## KOMORI LS 840P | 2004

|                 |                                                                                                                                                                                                                                                                                                                         |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Year            | 2004                                                                                                                                                                                                                                                                                                                    |
| Impressioncount | 160 mio                                                                                                                                                                                                                                                                                                                 |
| View            | In production                                                                                                                                                                                                                                                                                                           |
| Availability    | 10/26                                                                                                                                                                                                                                                                                                                   |
| Specifications  | PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4 |



## BOBST SP 102E | 1992

|                |               |
|----------------|---------------|
| Year           | 1992          |
| View           | In production |
| Availability   | 10/26         |
| Specifications | Stripping     |



## IBERICA SPD 105F | 2007

|                |                                                                                                                                                                                                                                            |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Year           | 2007                                                                                                                                                                                                                                       |
| View           | In production                                                                                                                                                                                                                              |
| Availability   | 10/26                                                                                                                                                                                                                                      |
| Specifications | Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate |



**VAN DER WEKKEN**  
**GRAFISCHE MACHINES**

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



## ASCON 700 | 2000

---

|                       |               |
|-----------------------|---------------|
| <b>Year</b>           | 2000          |
| <b>View</b>           | In production |
| <b>Availability</b>   | 10/2025       |
| <b>Specifications</b> | Pile tuner    |

## POST-PRESS



## TOUCHLINE CF 375 | 2018

---

|                        |                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------|
| <b>Year</b>            | 2018                                                                                               |
| <b>Impressioncount</b> | 0                                                                                                  |
| <b>View</b>            | In production                                                                                      |
| <b>Availability</b>    | 1/2027                                                                                             |
| <b>Specifications</b>  | automated, high-speed creasing and folding machine designed for digital and offset print finishing |



## DUPLO DC 646 | 2015

---

|                        |                 |
|------------------------|-----------------|
| <b>Year</b>            | 2015            |
| <b>Impressioncount</b> | 0               |
| <b>View</b>            | In production   |
| <b>Availability</b>    | 1/2027          |
| <b>Specifications</b>  | Cutter, Creaser |



VAN DER WEKKEN  
GRAFISCHE MACHINES

## POLAR 92E | 1997



---

|                        |                                            |
|------------------------|--------------------------------------------|
| <b>Year</b>            | 1997                                       |
| <b>Impressioncount</b> | 0                                          |
| <b>View</b>            | In production                              |
| <b>Availability</b>    | 1/2027                                     |
| <b>Specifications</b>  | Programs, Airtable, Photocells, Spareknife |



## POLAR RA2 | 2003

---

|                        |                     |
|------------------------|---------------------|
| <b>Year</b>            | 2003                |
| <b>Impressioncount</b> | 0                   |
| <b>View</b>            | In production       |
| <b>Availability</b>    | 9/2026              |
| <b>Specifications</b>  | Jogger, Air removal |



## STAHL TI 52/4/4 | 2009

---

|                        |                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>            | 2009                                                                                                                |
| <b>Impressioncount</b> | 0                                                                                                                   |
| <b>View</b>            | In production                                                                                                       |
| <b>Availability</b>    | 1/2027                                                                                                              |
| <b>Specifications</b>  | Flatpile feeder, 1st section 4 buckles, 2nd section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump |



## POLAR 78X | 2009

---

|                        |                                            |
|------------------------|--------------------------------------------|
| <b>Year</b>            | 2009                                       |
| <b>Impressioncount</b> | 0                                          |
| <b>View</b>            | In production                              |
| <b>Availability</b>    | 1/2027                                     |
| <b>Specifications</b>  | Programs, Airtable, Photocells, Spareknife |



VAN DER WEKKEN  
GRAFISCHE MACHINES



## MULLER MARTINI VENTURA 3215 | 2007

---

|                       |                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>           | 2007                                                                                                                                                                                                                                                                                                                                                                                |
| <b>View</b>           | In production                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Availability</b>   | 10/2026                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Specifications</b> | Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour |



## THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

---

|                       |                                                                          |
|-----------------------|--------------------------------------------------------------------------|
| <b>Year</b>           | 2002                                                                     |
| <b>View</b>           | In production                                                            |
| <b>Availability</b>   | 10/2025                                                                  |
| <b>Specifications</b> | 15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer |



## HOHNER HSB 7000 (6+1)

---

|                       |                                                                                                                                        |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Year</b>           | 2007                                                                                                                                   |
| <b>View</b>           | In production                                                                                                                          |
| <b>Availability</b>   | 10/2026                                                                                                                                |
| <b>Specifications</b> | Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules |



## MULTIMASTER CAS 35/2 PBA

---

|                       |                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Year</b>           | 2006                                                                                                          |
| <b>View</b>           | In production                                                                                                 |
| <b>Availability</b>   | 06/2025                                                                                                       |
| <b>Specifications</b> | Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM |