VAN DER WEKKEN
GRAFISCHE MACHINES

PAPERCONVERTING

KOHMANN F1350 | 2000

Year	2000
View	In production
Availability	03/2025
Specifications	1 stream, Windowpatcher

HEIBER & SCHRÖDER CE 850.2

Year	2005
View	In production
Availability	4/2024
Specifications	carton erecting / tray forming machine, Max width: 850MM, Max length: 450MM, Twin stream, Transport chain station, Servo controlled timed feeder, Coldglue, Hamburger device (8 point boxes)

PRESS

BOBST SP 102E | 1992

Year	1992
View	In production
Availability	4 / 2025
Specifications	Stripping

IBERICA SPD 105F | 2007

Year	2007
View	In production
Availability	2/2025
Specifications	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure

MAN ROLAND R905 XXL | 2011

Year	2011
Impressioncount	35 mio
View	In production
Availability	2/2025
Specifications	Colorpilot D+F with Graphometronic FM19, Roland DeltaMatic dampening with Technotrans BETA.C, APL automatic plate loader, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impressioncylinders, Inking unit temperature control, Steelplate feeder and delivery, Grafix CanTronic 2000 HEP powderspray, Max. Paperformat 1300 x 1850

KOMORI GL 840P | 2015

Year	2015
Impressioncount	91 mio
View	In production
Availability	2/2025
Specifications	PDC-SX Spectrophotometer and Auto register control, PQC Print Quality Control, KID Komori Information Display, KHS-AI Advanced Interface with Self-learning function, KMS IV Komori Monitoring System, AMR Automatic Make Ready Paper size and thickness setting, Komorimatic dampening units with Technotrans refrigeration and re-circulation unit, A-APC Asynchronous Automatic Plate Changer, Automatic washers for rollers, blanket- and impression cylinders, Inking Unit Temperature control, Ultrasonic Double Sheet detector, Grafix powderspray, Steelplate feeder and delivery, Perfecting 8/0-4/4, Books, tools and schedules

ASCON 700 | 2000

Year	2000
View	In production
Availability	2/2025
Specifications	Pile tuner

HEIDELBERG GTO 52-2 | 1999

Year	1999
Impressioncount	19 mio
View	In production
Availability	2/2025
Specifications	Heidelberg DDS dampening units, Lasercut inkducts with lameladjustment, Powderspray, Plusversion

HEIDELBERG SPEEDMASTER PM 52-2 | 2007

Year	2007
Impressioncount	27 mio
View	In production
Availability	2/2025
Specifications	Press Control, Lasercut inkducts with lameladjustment, Alcolor dampening with Baldwin unit, Heidelberg EasyPlate, Automatic wash-up devices for inkingrollers and blanketcylinders, Mediprint powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour



HEIDELBERG OHT WITH FOIL | 1973

Year	1973
View	Dismantled
Availability	2/2025
Specifications	Platin with foil

MAN ROLAND INLINEFOILER PRINDOR

Year	2008
View	In production
Availability	11/2023
Specifications	Cold foil enchancement, Free run single reel InlineFoiler, Model for mounting on two printing units for the cold foil transfer process, Suitable to MAN ROLAND R 700 presses.

RYOBI 512H

Year	1998
View	Dismantled
Impressioncount	17 mio.
Availability	12/2023
Specifications	Alcohol dampening with MGE coolunit, Powderspray, Books, tools and schedules.

POST-PRESS

MBO B30E-R | 2006

Year	2006
View	In production
Availability	4/2024
Specifications	Roundpile feeder, 1st section B30E-1-76/4, 2nd section B30E-2-76/4, MBO T530-3-X, 1 folding plate, A76-DC-24 shingle belt delivery, SBAP 46 ME vertical stacker

BOBST DOMINO 110-M | 1987

Year	1987
View	In production
Availability	2/2025
Specifications	Straight line, Lock bottom, 4 + 6 pt gluing, HHS gluing station 4 channels – 3 guns



KOLBUS BF512 COMPACT CASING-IN LINE WITH TRIMMER + SIGLOCH BOOK PREP LINE | 2008

Year	2008
View	In production
Availability	03/2025
Specifications	15,7 MIO produced books Sigloch BBL-30/3 Back Gluing and Lining, Sigloch twin end sheet pasting Sigloch NH1 Nipping Press Conveyor and Cooling / Drying System to Kolbus HD130 three knife trimmer to, Kolbus Compact 512 Casing-in element 'Co-Pilot' computerised set-up and memory with touch-screen colour monitors 'HB 530', IR pre heating unit 'AR' rounding and backing element with various size rounding irons to; 'HL' backlining unit with 2 x Robatech hot gluing, gauzing, paper lining and head & tail banding 'EMP' casing-in element with DBA case bending unit, heated former for cases, various formers for size changing Including accessories, tools & manuals

SMYTH F 200 'UNIT' | 2009

Year	2009
View	In production
Availability	2/2025
Specifications	Complete gathering sewing system with minimum staffing levels, High speed 200 cycles/min. automatic book sewer with gatherer, Comprising; Gatherer P12 – 24 stations – can also be used as 12 feeders for wider format work, Automatic hoppers with vibrator jogging adjustment, Sequential start control of each section for quick set-up, Hopper feed with suction gripper action, Automatic interface with F200 book sewer, Automatic loading of book blocks into sewer, Smyth F200 Automatic book sewer with; Computer programme – with alpha-numeric display and memory capability, moveable Touch Screen monitor for programming diagnostics, auto set-up with servo motors, 4 plus 4 upper and lower openings – programmable, suction and gripper action, programming of lap opening suckers, D/C drive unit, Capable of mixed suction lap signature feeding, Standard or staggered stitching – adjustable, Thread cutting device, Delivery conveyor to; 'Stacker' compensating stacker, Specification: Section sizes, Max: 520 x 350 mm, Min: 80 x 140 mm, Stitch length : 18 mm, Number of stitches : 14, Mechanical speed : up to 200 cycles/min

MULLER MARTINI VENTURA 3215 | 2007

Year	2007
View	In production
Availability	5/2024
Specifications	Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour

THEISEN AND BONITZ TB SPRINT 312VP INCL 303QS | 1998

Year	1998
View	In production
Availability	2/2025
Specifications	12 stations collator, 303QS folding-stitching (2x Hohner)-trimmer

HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

Year	2007
View	In production
Availability	2/2025
Specifications	Ti-52 first section 4 buckles, Ti52 second section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump

HOHNER HSB 7000 (6+1)

Year	2007
View	In production
Availability	11/2023
Specifications	Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules

GUANGMING SW-1050B

Year	2016
View	In production
Availability	12/2023
Specifications	Laminator, Electromagnetic heating system, Auto feeder, Sidelay regulator, Human computer interface, Separation system, Corrugated delivery, Anti curvature device, Autom. stacker, Max. paper format 1050x820MM, Min. paper format 350x350MM, Laminating speed 0-60m/min.

MBO T 45 4/4

Year	1993
View	In production
Availability	12/2023
Specifications	Flatpile feeder, MBO MCC2, 1st section T45, 4 buckles parallel, 2nd section T45, 4 buckles parallel, Anti-Noise hoods, Shingle belt delivery A56, Pump

MULTIMASTER CAS 35/2 PBA

Year	2006
View	In production
Availability	12/2023
Specifications	Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM