



PAPERCONVERTING



HEIBER AND SCHRÖDER CE 850-2 | 2007

Year	2007
View	In production
Availability	
Specifications	Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking

PRESS



HEIDELBERG CD 102-6LX HYBRID | 1999

Year	1999
Impressioncount	135 mio
View	In production
Availability	6/2026
Specifications	CP 2000 center, Alcolor dampening with Technotrans FKT-C unit, VARIO, Heidelberg Autoplate, Preset feeder, Technotrans inking unit temperature control, Automatic ink roller, blanket, and impression cylinder wash, InkLine, 3 Interdeck IST UV lamps, 4 IST UV Interdeck positions between units 1&2, 2&3, 4&5 and 6&L, EOP 3x IST UV Lamps, EOP IST IR dryer, Dedicated coater with Tresu chambered doctor blades, Extended delivery, Steelplate feeder and delivery, Grafix DUO PLUS powderspray, Non-stop feeder with poles, Non-stop delivery with racks, Aircooled machine



MAN ROLAND R 504 OB LV HIPRINT | 2008

Year	2008
Impressioncount	92 mio
View	In production
Availability	7/2026
Specifications	Graphometric FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP130



HEIDELBERG PM 52-5 | 2005

Year	2005
Impressioncount	31 mio
View	In production
Availability	
Specifications	Prinect Classic Center with ink remote control, Alcolor dampening units with Baldwin refrigeration and re-circulation unit, Heidelberg AUTOPLATE, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket cylinders, Electronic side-lay control, Grafix Alphatronic 200 powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour, Books, tools and schedules



HEIDELBERG CD 102-5+L (X1) | 2016

Year	2016
Impressioncount	96 mio
View	In production
Availability	
Specifications	Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



TOPPY 720 X 1040MM | 2008

Year	2008
View	In production
Availability	10/2025
Specifications	Electric moveable pile turner, 72 x 104 CM, capacity 1000KG



HEIDELBERG OHT FOLIEDEGEL | 1968



View
Availability
Specifications

Dismantled
10/2025
Platin with foil



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

Year
Impressioncount
View
Availability
Specifications

2018
184 Mio
In production
1/2026
Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



KBA RA 105U-5+L ALV 2 PWVA | 2008

Year
Impressioncount
View
Availability
Specifications

2008
236 Mio
In production

Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



KOMORI LS 840P | 2004



Year	2004
Impressioncount	160 mio
View	In production
Availability	
Specifications	PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4

BOBST SP 102E | 1992



Year	1992
View	In production
Availability	
Specifications	Stripping

IBERICA SPD 105F | 2007



Year	2007
View	In production
Availability	
Specifications	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure

ASCON 700 | 2000



Year	2000
View	In production
Availability	10/2025
Specifications	Pile tuner



HEIDELBERG SPEEDMASTER PM 52-2 | 2007




Year	2007
Impressioncount	27 mio
View	In production
Availability	
Specifications	Press Control, Lasercut inkducts with lameladjustment, Alcolor dampening with Baldwin unit, Heidelberg EasyPlate, Automatic wash-up devices for inkingrollers and blanketcylinders, Mediprint powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour

POST-PRESS



MULLER MARTINI VENTURA 3215 | 2007

Year	2007
View	In production
Availability	
Specifications	Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Year	2002
View	In production
Availability	10/2025
Specifications	15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HEIDELBERG STAHLFOLDER TI52/4/4 | 2007



Year
View
Availability
Specifications

2007
In production

Ti-52 first section 4 buckles, Ti52 second section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump



Hohner HSB 7000 (6+1)

Year
View
Availability
Specifications

2007
In production

Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules



Multimaster CAS 35/2 PBA

Year
View
Availability
Specifications

2006
In production
06/2025

Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM