

PAPERCONVERTING



HEIBER AND SCHRÖDER CE 850-2 | 2007

Year	2007
View	In production
Availability	10/26
Specifications	Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking

PRESS



HEIDELBERG SM 52-5 | 2004

Year	2004
Impressioncount	100 mio
View	In production
Availability	1/2027
Specifications	CP2000 Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders via CP2000, Heidelberg Autoplate, Grafix Alphatronic 200 powderspray, Superblue deliverydrum, + versions, 0,5MM thickness



HEIDELBERG SX 74-5 | 2017

Year	2017
Impressioncount	38 Mio
View	In production
Availability	1/2027
Specifications	Prinect Press Center 2, Prinect EasyControl, Alcolor dampening units with Technotrans HydroStar, AlcoSmart AZR, VARIO, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Anti-Static with ionisationblowers feeder, PowderStar AP 110, Lowpile delivery



VAN DER WEKKEN
GRAFISCHE MACHINES

MAN ROLAND R 504 0B LV HIPRINT | 2008



Year	2008
Impressioncount	92 mio
View	In production
Availability	10/26
Specifications	Graphometronic FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP 130 powderspray



HEIDELBERG CD 102-5+L (X1) | 2016

Year	2016
Impressioncount	96 mio
View	In production
Availability	10/26
Specifications	Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



HEIDELBERG OHT FOLIEDEGEL | 1968

View	Dismantled
Availability	10/2025
Specifications	Platin with foil



VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 105U-5+L ALV 2 PWVA | 2008



Year	2008
Impressioncount	236 Mio
View	In production
Availability	10/26
Specifications	Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



KOMORI LS 840P | 2004

Year	2004
Impressioncount	160 mio
View	In production
Availability	10/26
Specifications	PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4



BOBST SP 102E | 1992

Year	1992
View	In production
Availability	10/26
Specifications	Stripping



IBERICA SPD 105F | 2007

Year	2007
View	In production
Availability	10/26
Specifications	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate



VAN DER WEKKEN
GRAFISCHE MACHINES

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Year	2000
View	In production
Availability	10/2025
Specifications	Pile tuner

POST-PRESS



TOUCHLINE CF 375 | 2018

Year	2018
Impressioncount	0
View	In production
Availability	1/2027
Specifications	automated, high-speed creasing and folding machine designed for digital and offset print finishing



DUPLO DC 646 | 2015

Year	2015
Impressioncount	0
View	In production
Availability	1/2027
Specifications	Cutter, Creaser



VAN DER WEKKEN
GRAFISCHE MACHINES

POLAR 92E | 1997



Year	1997
Impressioncount	0
View	In production
Availability	1/2027
Specifications	Programs, Airtable, Photocells, Spareknife

POLAR RA2 | 2003



Year	2003
Impressioncount	0
View	In production
Availability	9/2026
Specifications	Jogger, Air removal

STAHL TI 52/4/4 | 2009



Year	2009
Impressioncount	0
View	In production
Availability	1/2027
Specifications	Flatpile feeder, 1st section 4 buckles, 2nd section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump

POLAR 78X | 2009



Year	2009
Impressioncount	0
View	In production
Availability	1/2027
Specifications	Programs, Airtable, Photocells, Spareknife



VAN DER WEKKEN
GRAFISCHE MACHINES



MULLER MARTINI VENTURA 3215 | 2007

Year	2007
View	In production
Availability	10/2026
Specifications	Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Year	2002
View	In production
Availability	10/2025
Specifications	15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HOHNER HSB 7000 (6+1)

Year	2007
View	In production
Availability	10/2026
Specifications	Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules



MULTIMASTER CAS 35/2 PBA

Year	2006
View	In production
Availability	06/2025
Specifications	Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM