



VAN DER WEKKEN
GRAFISCHE MACHINES

7 KLEUREN



HEIDELBERG XL 75-7 LX UV F | 2013

Year	2013
Impressioncount	82 mio
View	In production
Availability	2/2026
Specifications	HYBRID machine, Prinect Press Center, Prinect Axis Control, InstantStart, WallScreen, AutoPlate, CANopen, Alcolor with dampening Technotrans CombiStar, 4 x IST UV Interdecks, interchangeable all positions, IST UV end dryer, DryStar IR Combination, Inkline, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Technotrans Inking unit temperature control, Intercom, StaticStar Advanced, AirStar Pro, Dedicated coater with chambered doctor blades, Extended delivery X3, Non-Stop feeder, Non-Stop delivery with racks, F-size: 605 x 750MM, Watercooled machine

PAPERCONVERTING



KOHMANN F1350 | 2000

Year	2000
View	In production
Availability	10/2025
Specifications	1 stream, Windowpatcher



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIBER & SCHRÖDER CE 850.2



Year
View
Availability
Specifications

2005
In production
10/2025
carton erecting / tray forming machine,
Max width: 850MM, Max length: 450MM,
Twin stream, Transport chain station, Servo
controlled timed feeder, Coldglue,
Hamburger device (8 point boxes)

PRESS



HEIDELBERG XL 75-7 LX UV F | 2013

Year
Impressioncount
View
Availability
Specifications

2013
82 mio
In production
2/2026
HYBRID machine, Prinect Press Center,
Prinect Axis Control, InstantStart,
WallScreen, AutoPlate, CANopen, Alcolor
with dampening Technotrans CombiStar,
4 x IST UV Interdecks, interchangeable all
positions, IST UV end dryer, DryStar IR
Combination, Inkliline, Automatic wash-up
devices for inking rollers, Automatic wash-
up devices for blanket and impression
cylinders, Technotrans Inking unit
temperature control, Intercom, StaticStar
Advanced, AirStar Pro, Dedicated coater
with chambered doctor blades, Extended
delivery X3, Non-Stop feeder, Non-Stop
delivery with racks, F-size: 605 x 750MM,
Watercooled machine



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018 (KOPIE)

Year
Impressioncount
View
Availability
Specifications

2008
In production
10/2025
Prinect Inpress Control 2, Prinect Press
Center XL2, WallScreen XL, Intellistart 2,
Push to Stop, Autoplate XL 2, Hycolor high
performance inking and dampening
system with CombiStar CAN, FilterStar
Compact, Inking unit temperature control,
Automatic inking unit wash-up device,
Program-controlled blanket washup
device, Program-controlled impression
cylinder washup device, InkStar CAN,
Preset Plus feeder, Preset Plus delivery,
Dedicated coater with chambered doctor
blades, CoatingStar CAN, DryStar with 3
slide-in units, Extended delivery X2,



PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air- cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



TOPPY 720 X 1040MM | 2008

Year	2008
View	In production
Availability	10/2025
Specifications	Electric moveable pile turner, 72 x 104 CM, capacity 1000KG



HEIDELBERG GT DEGEL | 1955

View	Dismantled
Availability	10/2025
Specifications	GT Platin



HEIDELBERG OHT FOLIEDEGEL | 1968

View	Dismantled
Availability	10/2025
Specifications	Platin with foil



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIDELBERG S CYLINDER | 1961



Year	1961
View	Dismantled
Availability	10/2025
Specifications	72 x 54 CM



HEIDELBERG SX 74-5H | 2016

Year	2016
Impressioncount	215 Mio
View	In production
Availability	10/2025
Specifications	Press Center, EasyControl, Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Heidelberg Autoplate, Steelplate feeder and delivery, Anti-static Compact feeder and delivery, WEKO AP 262 powderspray, Highpile delivery



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

Year	2018
Impressioncount	184 Mio
View	In production
Availability	10/2025
Specifications	Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 105U-5+L ALV 2 PWVA | 2008



Year	2008
Impressioncount	236 Mio
View	In production
Availability	11/2025
Specifications	Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



KOMORI LS 840P | 2004

Year	2004
Impressioncount	160 mio
View	In production
Availability	10/2025
Specifications	PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4



BOBST SP 102E | 1992

Year	1992
View	In production
Availability	10/2025
Specifications	Stripping



IBERICA SPD 105F | 2007

Year	2007
View	In production
Availability	10/2025
Specifications	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate



loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Year	2000
View	In production
Availability	10/2025
Specifications	Pile tuner



HEIDELBERG GTO 52-2 | 1999

Year	1999
Impressioncount	19 mio
View	In production
Availability	10/2025
Specifications	Heidelberg DDS dampening units, Lasercut inkducts with lameladjustment, Powderspray, Plusversion



HEIDELBERG SPEEDMASTER PM 52-2 | 2007

Year	2007
Impressioncount	27 mio
View	In production
Availability	10/2025
Specifications	Press Control, Lasercut inkducts with lameladjustment, Alcolor dampening with Baldwin unit, Heidelberg EasyPlate, Automatic wash-up devices for inkingrollers and blanketcylinders, Mediprint powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour



HEIDELBERG OHT WITH FOIL | 1973

Year	1973
View	Dismantled
Availability	10/2025
Specifications	Platin with foil



VAN DER WEKKEN
GRAFISCHE MACHINES

MAN ROLAND INLINEFOILER PRINDOR



Year
View
Availability
Specifications

2008
In production
11/2023
Cold foil enhancement, Free run single reel InlineFoilPrindor, Model for mounting on two printing units for the cold foil transfer process, Suitable to MAN ROLAND R 700 presses.



RYOBI 512H

Year
View
Impressioncount
Availability
Specifications

1998
Dismantled
17 mio.
12/2023
Alcohol dampening with MGE coolunit, Powderspray, Books, tools and schedules.

POST-PRESS



POLAR 137 ED-AT | 1998

Year
View
Availability
Specifications

1998
In production
10/2025
Autotrim, Programs, photocells, airtable, Spare knife



STAHLFOLDER KH 82/4KTL | 2009

Year
View
Availability
Specifications

2009
Dismantled
10/2025
PFH 82, pallet feeder, Touchscreen, BCAH 82 4 pockets, 2 knives, Electric Pocket setting, Anti-Noise hoods, Pump, Sheet size max: 820 x 1200MM, Sheet size min: 140 x 180MM, SBP 66.2 stacker



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIDELBERG BCUH 56/6 | 2008



Year
View
Availability
Specifications

2008
In production
10/2025
FFH 56 flatpile feeder, 6 buckles parallel, 2 knives, Folding plate, Anti-Noise hoods, HHS glue unit, SPH 70 delivery, Pump, Size max 56x90CM, Size min 14x18CM



POLAR 92ED FLOW LINE | 2003

Year
View
Availability
Specifications

2003
In production
9/2025
Programs, photocells, airtable, sidetable left and right with air, RA2 jogger with air removal, POLAR LW 1000-4 lift, Scale



BOBST DOMINO 110-M | 1987

Year
View
Availability
Specifications

1987
In production
10/2025
Straight line, Lock bottom, 4 + 6 pt gluing, HHS gluing station 4 channels – 3 guns



MULLER MARTINI VENTURA 3215 | 2007

Year
View
Availability
Specifications

2007
In production
10/2025
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



VAN DER WEKKEN
GRAFISCHE MACHINES



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Year	2002
View	In production
Availability	10/2025
Specifications	15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

Year	2007
View	In production
Availability	10/2025
Specifications	Ti-52 first section 4 buckles, Ti52 second section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump



HOHNER HSB 7000 (6+1)

Year	2007
View	In production
Availability	10/2025
Specifications	Hand fed station, 6 feeders, 1 cover feeder, Stitcher with Hohner stitching heads, Trimmer, Shingle belt delivery, Books and schedules



GUANGMING SW-1050B

Year	2016
View	In production
Availability	10/2025
Specifications	Laminator, Electromagnetic heating system, Auto feeder, Sidelay regulator, Human computer interface, Separation system, Corrugated delivery, Anti curvature device, Autom. stacker, Max. paper format 1050x820MM, Min. paper format 350x350MM, Laminating speed 0-60m/min.



VAN DER WEKKEN
GRAFISCHE MACHINES



MULTIMASTER CAS 35/2 PBA

Year

2006

View

In production

Availability

06/2025

Specifications

Computer controlled folding machine with two pockets, Max. sheet size 35 x 46 CM, Min. sheet size 8.5 x 10 CM