



VAN DER WEKKEN
GRAFISCHE MACHINES

7 KLEUREN



HEIDELBERG XL 75-7 LX UV F | 2013

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2013
82 mio
In productie
2/2026
HYBRID machine, Prinect Press Center, Prinect Axis Control, InstantStart, WallScreen, AutoPlate, CANopen, Alcolor with dampening Technotrans CombiStar, 4 x IST UV Interdecks, interchangeable all positions, IST UV end dryer, DryStar IR Combination, Inkline, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Technotrans Inking unit temperature control, Intercom, StaticStar Advanced, AirStar Pro, Dedicated coater with chambered doctor blades, Extended delivery X3, Non-Stop feeder, Non-Stop delivery with racks, F-size: 605 x 750MM, Watercooled machine

PAPERCONVERTING



KOHMANN F1350 | 2000

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2000
In productie
10/2025
1 stream, Windowpatcher



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIBER & SCHRÖDER CE 850.2



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2005
In productie
10/2025
carton erecting / tray forming machine,
Max width: 850MM, Max length: 450MM,
Twin stream, Transport chain station, Servo
controlled timed feeder, Coldglue,
Hamburger device (8 point boxes)

PRESS



HEIDELBERG XL 75-7 LX UV F | 2013

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2013
82 mio
In productie
2/2026
HYBRID machine, Prinect Press Center,
Prinect Axis Control, InstantStart,
WallScreen, AutoPlate, CANopen, Alcolor
with dampening Technotrans CombiStar,
4 x IST UV Interdecks, interchangeable all
positions, IST UV end dryer, DryStar IR
Combination, Inkline, Automatic wash-up
devices for inking rollers, Automatic wash-
up devices for blanket and impression
cylinders, Technotrans Inking unit
temperature control, Intercom, StaticStar
Advanced, AirStar Pro, Dedicated coater
with chambered doctor blades, Extended
delivery X3, Non-Stop feeder, Non-Stop
delivery with racks, F-size: 605 x 750MM,
Watercooled machine



HEIDELBERG XL 105-6 LX (X3) 18K MACHINE | 2008

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
225 Mio
In productie
10/2025
Prinect CP2000 center, Alcolor dampening
units with Technotrans CombiStar
CANopen, Heidelberg Autoplate,
Automatic washers, Inking unit
temperature control, Preset Plus Feeder,
Preset Plus Delivery, 3 UV Interdeck,
Dedicated coater, Extended delivery X3,
IR/UV EOP, Non-Stop feeder and delivery,
PowderStar AP500, CleanStar Compact,
Elevated 875MM, Watercooled machine



VAN DER WEKKEN
GRAFISCHE MACHINES

TOPPY 720 X 1040MM | 2008



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
In productie
10/2025
Electric moveable pile turner, 72 x 104 CM,
capacity 1000KG



HEIDELBERG GT DEGEL | 1955

Bezichtiging
Beschikbaarheid
Technische specificaties

Gedemonteerd
10/2025
GT Platin



HEIDELBERG OHT FOLIEDEGEL | 1968

Bezichtiging
Beschikbaarheid
Technische specificaties

Gedemonteerd
10/2025
Degel met folie inrichting.



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIDELBERG S CYLINDER | 1961



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1961
Gedemonteerd
10/2025
72 x 54 CM



HEIDELBERG SX 74-5H | 2016

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2016
215 Mio
In productie
10/2025
Press Center, EasyControl, Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Heidelberg Autoplate, Steelplate feeder and delivery, Anti-static Compact feeder and delivery, WEKO AP 262 powderspray, Highpile delivery



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2018
184 Mio
In productie
10/2025
Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 105U-5+L ALV 2 PWVA | 2008



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
236 Mio
In productie
11/2025
Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



KOMORI LS 840P | 2004

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2004
160 mio
In productie
10/2025
PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4



BOBST SP 102E | 1992

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1992
In productie
10/2025
Stripping



IBERICA SPD 105F | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Bouwjaar	2000
Bezichtiging	In productie
Beschikbaarheid	10/2025
Technische specificaties	Stapelkeerder



HEIDELBERG GTO 52-2 | 1999

Bouwjaar	1999
Druks	19 mio
Bezichtiging	In productie
Beschikbaarheid	10/2025
Technische specificaties	Heidelberg DDS vochtwerken, Lasergeslepen inktbakken met lamelverstelling, Poederapparaat, Plusversie



HEIDELBERG SPEEDMASTER PM 52-2 | 2007

Bouwjaar	2007
Druks	27 mio
Bezichtiging	In productie
Beschikbaarheid	10/2025
Technische specificaties	PressCenter, Lasergeslepen inktbakken met lamelverstelling, Alcolor vochtwerken met Baldwin unit, Heidelberg EasyPlate, Automatische wasinrichtingen voor inktwerken en rubberdoekcilinders, Mediprint poederapparaat, Heidelberg zuigbandinleg max 13000 vel per uur



HEIDELBERG OHT FOLIEDEGEL | 1973

Bouwjaar	1973
Bezichtiging	Gedemonteerd
Beschikbaarheid	10/2025
Technische specificaties	Degel met folie inrichting.



VAN DER WEKKEN
GRAFISCHE MACHINES

MAN ROLAND INLINEFOILER PRINDOR



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
In productie
10/2025
Cold foil enhancement, Free run single reel InlineFoilPrindor, Model for mounting on two printing units for the cold foil transfer process, Suitable to MAN ROLAND R 700 presses.



RYOBI 512H

Bouwjaar
Bezichtiging
Druks
Beschikbaarheid
Technische specificaties

1998
Gedemonteerd
17 mio.
10/2025
Alcohol dampening with MGE coolunit, Powderspray, Books, tools and schedules.

POST-PRESS



POLAR 137 ED-AT | 1998

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1998
In productie
10/2025
Autotrim, Programs, photocells, airtable, Spare knife



STAHLFOLDER KH 82/4KTL | 2009

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2009
Gedemonteerd
10/2025
PFH 82, pallet feeder, Touchscreen, BCAH 82 4 pockets, 2 knives, Electric Pocket setting, Anti-Noise hoods, Pump, Sheet size max: 820 x 1200MM, Sheet size min: 140 x 180MM, SBP 66.2 stacker



VAN DER WEKKEN
GRAFISCHE MACHINES

HEIDELBERG BCUH 56/6 | 2008



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
In productie
10/2025
FFH 56 flatpile feeder, 6 buckles parallel, 2 knives, Folding plate, Anti-Noise hoods, HHS glue unit, SPH 70 delivery, Pump, Size max 56x90CM, Size min 14x18CM



POLAR 92ED FLOW LINE | 2003

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2003
In productie
9/2025
Programs, photocells, airtable, sidetable left and right with air, RA2 jogger with air removal, POLAR LW 1000-4 lift, Scale



BOBST DOMINO 110-M | 1987

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1987
In productie
10/2025
Straight line, Lock bottom, 4 + 6 pt gluing, HHS gluing station 4 channels – 3 guns



MULLER MARTINI VENTURA 3215 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



VAN DER WEKKEN
GRAFISCHE MACHINES



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2002
In productie
10/2025
15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Ti-52 eerste sectie 4 tassen, Ti52 tweede sectie 4 tassen, Geluidskappen, SAK 56 uitleg, Pomp



HOHNER HSB 7000 (6+1)

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema's



GUANGMING SW-1050B

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2016
In productie
10/2025
Laminator, Electromagnetic heating system, Auto feeder, Sidelay regulator, Human computer interface, Separation system, Corrugated delivery, Anti curvature device, Autom. stacker, Max. paper format 1050x820MM, Min. paper format 350x350MM, Laminating speed 0-60m/min.



VAN DER WEKKEN
GRAFISCHE MACHINES

MULTIMASTER CAS 35/2 PBA



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2006
In productie
10/2025
Computergestuurde vouwmachine met
twee tassen, Max. papierformaat 35 x 46
CM, Min. papierformaat 8.5 x 10 CM;