VAN DER WEKKEN
GRAFISCHE MACHINES

PAPERCONVERTING



HEIBER AND SCHRÖDER CE 850-2 | 2007

Bouwjaar	2007
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking

PRESS



HEIDELBERG SM 52-5 | 2004

Bouwjaar	2004
Druks	100 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	CP2000 Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders via CP2000, Heidelberg Autoplate, Grafix Alphatronic 200 powderspray, Superblue deliverydrum, + versions, 0,5MM thickness



HEIDELBERG SX 74-5 | 2017

Bouwjaar	2017
Druks	38 Mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	Prinect Press Center 2, Prinect EasyControl, Alcolor dampening units with Technotrans HydroStar, AlcoSmart AZR, VARIO, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Anti-Static with ionisationblowers feeder, PowderStar AP 110, Lowpile delivery



MAN ROLAND R 504 0B LV HIPRINT | 2008

Bouwjaar	2008
Druks	92 mio
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	Graphometronic FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP 130 powderspray



HEIDELBERG CD 102-5+L (X1) | 2016

Bouwjaar	2016
Druks	96 mio
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



HEIDELBERG OHT FOLIEDEGEL | 1968

Bezichtiging	Gedemonteerd
Beschikbaarheid	10/2025
Technische specificaties	Degel met folie inrichting.



KBA RA 105U-5+L ALV 2 PWVA | 2008

Bouwjaar	2008
Druks	236 Mio
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



KOMORI LS 840P | 2004

Bouwjaar	2004
Druks	160 mio
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4



BOBST SP 102E | 1992

Bouwjaar	1992
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	Stripping



IBERICA SPD 105F | 2007

Bouwjaar	2007
Bezichtiging	In productie
Beschikbaarheid	10/26
Technische specificaties	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Bouwjaar	2000
Bezichtiging	In productie
Beschikbaarheid	10/2025
Technische specificaties	Stapelkeerder

POST-PRESS



TOUCHLINE CF 375 | 2018

Bouwjaar	2018
Druks	0 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	automated, high-speed creasing and folding machine designed for digital and offset print finishing



DUPLO DC 646 | 2015

Bouwjaar	2015
Druks	0 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	Cutter, Creaser



POLAR 92E | 1997

Bouwjaar	1997
Druks	0 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	Programs, Airtable, Photocells, Spareknife



POLAR RA2 | 2003

Bouwjaar	2003
Druks	0 mio
Bezichtiging	In productie
Beschikbaarheid	9/2026
Technische specificaties	Jogger, Air removal



STAHL TI 52/4/4 | 2009

Bouwjaar	2009
Druks	0 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	Flatpile feeder, 1st section 4 buckles, 2nd section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump




POLAR 78X | 2009

Bouwjaar	2009
Druks	0 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027
Technische specificaties	Programs, Airtable, Photocells, Spareknife



MULLER MARTINI VENTURA 3215 | 2007

Bouwjaar	2007
Bezichtiging	In productie
Beschikbaarheid	10/2026
Technische specificaties	Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Bouwjaar	2002
Bezichtiging	In productie
Beschikbaarheid	10/2025
Technische specificaties	15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HOHNER HSB 7000 (6+1)

Bouwjaar	2007
Bezichtiging	In productie
Beschikbaarheid	10/2026
Technische specificaties	Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema’s



MULTIMASTER CAS 35/2 PBA

Bouwjaar	2006
Bezichtiging	In productie
Beschikbaarheid	10/2025
Technische specificaties	Computergestuurde vouwmachine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM;