

PAPERCONVERTING



HEIBER AND SCHRÖDER CE 850-2 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/26
Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking

PRESS



HEIDELBERG SM 52-5 | 2004

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2004
100 mio
In productie
1/2027
CP2000 Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders via CP2000, Heidelberg Autoplate, Grafix Alphatronic 200 powderspray, Superblue delivery drum, + versions, 0,5MM thickness



HEIDELBERG SX 74-5 | 2017

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2017
38 Mio
In productie
1/2027
Prinect Press Center 2, Prinect EasyControl, Alcolor dampening units with Technotrans HydroStar, AlcoSmart AZR, VARIO, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Anti-Static with ionisation blowers feeder, PowderStar AP 110, Lowpile delivery



VAN DER WEKKEN
GRAFISCHE MACHINES

MAN ROLAND R 504 0B LV HIPRINT | 2008



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
92 mio
In productie
10/26
Graphometronic FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP 130 powderspray



HEIDELBERG CD 102-5+L (X1) | 2016

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2016
96 mio
In productie
10/26
Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



HEIDELBERG OHT FOLIEDEGEL | 1968

Bezichtiging
Beschikbaarheid
Technische specificaties

Gedemonteerd
10/2025
Degel met folie inrichting.



VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 105U-5+L ALV 2 PWVA | 2008



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
236 Mio
In productie
10/26
Ergotronic, Rutherford system with
Intellitrax scanning, Varidamp dampening
units with Baldwin R&R unit, Automatic
Washers, FAPC fully automatic plate
changer, InkTemp, UV interdeck unit 1and
5, Interchangeable unit 2, Dedicated coater
with chambered doctor blades, Harris and
Bruno, Suitable for UV and Conventional
coating, IR/UV EOP, Weko AP 130
powderspray, Steeplate feeder and
delivery, Ionization feeder and delivery,
Max 15.000 sheets per hour, HYBRID
MACHINE



KOMORI LS 840P | 2004

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2004
160 mio
In productie
10/26
PQC with PDC Lite II, Komorimatic
dampening units with Technotrans BETA
unit, KMS, AMR, APC automatic plate
changer, Automatic wash-up devices for
inking rollers, Automatic wash-up devices
for blanket and impression cylinders,
Inking unit temperature control, Grafix
Digitronic powderspray, Perfecting 8/0 –
4/4



BOBST SP 102E | 1992

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1992
In productie
10/26
Stripping



IBERICA SPD 105F | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/26
Sheet size max 750 x 1050MM, Sheet size
min 350 x 400MM, Max mechanical speed
9000sph, Max impression strength 300
tons, Max cardboard thickness 1,5MM, Max
corrugated board 3MM, Automatic feeder
with floating platform for direct plate



VAN DER WEKKEN
GRAFISCHE MACHINES

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2000
In productie
10/2025
Stapelkeerder

POST-PRESS



TOUCHLINE CF 375 | 2018

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2018
0 mio
In productie
1/2027
automated, high-speed creasing and folding machine designed for digital and offset print finishing



DUPLO DC 646 | 2015

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2015
0 mio
In productie
1/2027
Cutter, Creaser



VAN DER WEKKEN
GRAFISCHE MACHINES

POLAR 92E | 1997



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

1997
0 mio
In productie
1/2027
Programs, Airtable, Photocells, Spareknife

POLAR RA2 | 2003



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2003
0 mio
In productie
9/2026
Jogger, Air removal

STAHL TI 52/4/4 | 2009



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2009
0 mio
In productie
1/2027
Flatpile feeder, 1st section 4 buckles, 2nd section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump

POLAR 78X | 2009



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2009
0 mio
In productie
1/2027
Programs, Airtable, Photocells, Spareknife



VAN DER WEKKEN
GRAFISCHE MACHINES

MULLER MARTINI VENTURA 3215 | 2007



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2026
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2002
In productie
10/2025
15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HOHNER HSB 7000 (6+1)

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2026
Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema's



MULTIMASTER CAS 35/2 PBA

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2006
In productie
10/2025
Computergestuurde vouwmachine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM;