

## PAPERCONVERTING



### HEIBER AND SCHRÖDER CE 850-2 | 2007

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking

## PRESS



### MAN ROLAND R 504 OB LV HIPRINT | 2008

**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2008  
92 mio  
In productie  
7/2026  
Graphometronic FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP 130 powderspray



### HEIDELBERG CD 102-5+L (X1) | 2016

**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2016  
96 mio  
In productie  
05/2026  
Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with



racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



## HEIDELBERG OHT FOLIEDEGEL | 1968

**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

Gedemonteerd  
10/2025  
Degel met folie inrichting.



## KBA RA 105U-5+L ALV 2 PWVA | 2008

**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2008  
236 Mio  
In productie  
05/2026  
Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steelplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



## KOMORI LS 840P | 2004

**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2004  
160 mio  
In productie  
05/2026  
PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4



VAN DER WEKKEN  
GRAFISCHE MACHINES

## BOBST SP 102E | 1992



**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

1992  
In productie  
05/2026  
Stripping



## IBERICA SPD 105F | 2007

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



## ASCON 700 | 2000

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2000  
In productie  
10/2025  
Stapelkeerder

## POST-PRESS





VAN DER WEKKEN  
GRAFISCHE MACHINES



## MULLER MARTINI VENTURA 3215 | 2007

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



## THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2002  
In productie  
10/2025  
15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



## HOHNER HSB 7000 (6+1)

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema's



## MULTIMASTER CAS 35/2 PBA

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2006  
In productie  
10/2025  
Computergestuurde vouwmaschine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM;