



## PAPERCONVERTING



### HEIBER AND SCHRÖDER CE 850-2 | 2007

---

<b>Bouwjaar</b>	2007
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	05/2026
<b>Technische specificaties</b>	Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking

## PRESS



### HEIDELBERG CD 102-6LX HYBRID | 1999

---

<b>Bouwjaar</b>	1999
<b>Druks</b>	135 mio
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	6/2026
<b>Technische specificaties</b>	CP 2000 center, Alcolor dampening with Technotrans FKT-C unit, VARIO, Heidelberg Autoplate, Preset feeder, Technotrans inking unit temperature control, Automatic ink roller, blanket, and impression cylinder wash, InkLine, 3 Interdeck IST UV lamps, 4 IST UV Interdeck positions between units 1&2, 2&3, 4&5 and 6&L, EOP 3x IST UV Lamps, EOP IST IR dryer, Dedicated coater with Tresu chambered doctor blades, Extended delivery, Steelplate feeder and delivery, Grafix DUO PLUS powderspray, Non-stop feeder with poles, Non-stop delivery with racks, Aircooled machine



### MAN ROLAND R 504 OB LV HIPRINT | 2008

---

<b>Bouwjaar</b>	2008
<b>Druks</b>	92 mio
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	7/2026
<b>Technische specificaties</b>	Graphometric FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP130



## HEIDELBERG PM 52-5 | 2005

<b>Bouwjaar</b>	2005
<b>Druks</b>	31 mio
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	05/2026
<b>Technische specificaties</b>	Prinect Classic Center with ink remote control, Alcolor dampening units with Baldwin refrigeration and re-circulation unit, Heidelberg AUTOPLATE, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket cylinders, Electronic side-lay control, Grafix Alphatronic 200 powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour, Books, tools and schedules



## HEIDELBERG CD 102-5+L (X1) | 2016

<b>Bouwjaar</b>	2016
<b>Druks</b>	96 mio
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	05/2026
<b>Technische specificaties</b>	Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



## TOPPY 720 X 1040MM | 2008

<b>Bouwjaar</b>	2008
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	10/2025
<b>Technische specificaties</b>	Electric moveable pile turner, 72 x 104 CM, capacity 1000KG



VAN DER WEKKEN  
GRAFISCHE MACHINES

## HEIDELBERG OHT FOLIEDEGEL | 1968



**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

Gedemonteerd  
10/2025  
Degel met folie inrichting.



## HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2018  
184 Mio  
In productie  
1/2026  
Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



## KBA RA 105U-5+L ALV 2 PWVA | 2008

**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2008  
236 Mio  
In productie  
05/2026  
Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1 and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE



## KOMORI LS 840P | 2004



<b>Bouwjaar</b>	2004
<b>Druks</b>	160 mio
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	05/2026
<b>Technische specificaties</b>	PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4

## BOBST SP 102E | 1992



<b>Bouwjaar</b>	1992
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	05/2026
<b>Technische specificaties</b>	Stripping

## IBERICA SPD 105F | 2007



<b>Bouwjaar</b>	2007
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	05/2026
<b>Technische specificaties</b>	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure

## ASCON 700 | 2000



<b>Bouwjaar</b>	2000
<b>Bezichtiging</b>	In productie
<b>Beschikbaarheid</b>	10/2025
<b>Technische specificaties</b>	Stapelkeerder



## HEIDELBERG SPEEDMASTER PM 52-2 | 2007

---



**Bouwjaar**  
**Druks**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
27 mio  
In productie  
05/2026  
PressCenter, Lasergeslepen inktbakken met lamelverstelling, Alcolor vochtwerken met Baldwin unit, Heidelberg EasyPlate, Automatische wasinrichtingen voor inktwerken en rubberdoekcilinders, Mediprint poederapparaat, Heidelberg zuigbandinleg max 13000 vel per uur

## POST-PRESS



## MULLER MARTINI VENTURA 3215 | 2007

---

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



## THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

---

**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2002  
In productie  
10/2025  
15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



## HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

---



**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Ti-52 eerste sectie 4 tassen, Ti52 tweede sectie 4 tassen, Geluidskappen, SAK 56 uitleg, Pomp

## HOHNER HSB 7000 (6+1)

---



**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2007  
In productie  
05/2026  
Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema's

## MULTIMASTER CAS 35/2 PBA

---



**Bouwjaar**  
**Bezichtiging**  
**Beschikbaarheid**  
**Technische specificaties**

2006  
In productie  
10/2025  
Computergestuurde vouwmachine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM;