VAN DER WEKKEN
GRAFISCHE MACHINES

# PAPERCONVERTING

## HEIBER AND SCHRÖDER CE 850-2 | 2007

| | |
|---|---|
| **Bouwjaar** | 2007 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking |

# PRESS

## HEIDELBERG SM 52-5 | 2004

| | |
|---|---|
| **Bouwjaar** | 2004 |
| **Druks** | 100 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | CP2000 Alcolor dampening units with Technotrans HydroStar, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders via CP2000, Heidelberg Autoplate, Grafix Alphatronic 200 powderspray, Superblue deliverydrum, + versions, 0,5MM thickness |

## HEIDELBERG SX 74-5 | 2017

| | |
|---|---|
| **Bouwjaar** | 2017 |
| **Druks** | 38 Mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | Prinect Press Center 2, Prinect EasyControl, Alcolor dampening units with Technotrans HydroStar, AlcoSmart AZR, VARIO, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Anti-Static with ionisationblowers feeder, PowderStar AP 110, Lowpile delivery |

## MAN ROLAND R 504 0B LV HIPRINT | 2008

| | |
|---|---|
| **Bouwjaar** | 2008 |
| **Druks** | 92 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | Graphometronic FM 19 measuring device, Rolandmatic dampening with Technotrans Alpha d 30L refrigeration and re-circulation unit, Pre-inking, PPL power plate loading, Automatic Washers for inking rollers, Automatic Washers for blanket and impression cylinders, Dedicated coater with Tresu chambered doctor blades, IR dryer, WEKO AP 130 powderspray |

## HEIDELBERG CD 102-5+L (X1) | 2016

| | |
|---|---|
| **Bouwjaar** | 2016 |
| **Druks** | 96 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller |

## HEIDELBERG OHT FOLIEDEGEL | 1968

| | |
|---|---|
| **Bezichtiging** | Gedemonteerd |
| **Beschikbaarheid** | 10/2025 |
| **Technische specificaties** | Degel met folie inrichting. |

## KBA RA 105U-5+L ALV 2 PWVA | 2008

| | |
|---|---|
| **Bouwjaar** | 2008 |
| **Druks** | 236 Mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | Ergotronic, Rutherford system with Intellitrax scanning, Varidamp dampening units with Baldwin R&R unit, Automatic Washers, FAPC fully automatic plate changer, InkTemp, UV interdeck unit 1and 5, Interchangeable unit 2, Dedicated coater with chambered doctor blades, Harris and Bruno, Suitable for UV and Conventional coating, IR/UV EOP, Weko AP 130 powderspray, Steeplate feeder and delivery, Ionization feeder and delivery, Max 15.000 sheets per hour, HYBRID MACHINE |

## KOMORI LS 840P | 2004

| | |
|---|---|
| **Bouwjaar** | 2004 |
| **Druks** | 160 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | PQC with PDC Lite II, Komorimatic dampening units with Technotrans BETA unit, KMS, AMR, APC automatic plate changer, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Grafix Digitronic powderspray, Perfecting 8/0 – 4/4 |

## BOBST SP 102E | 1992

| | |
|---|---|
| **Bouwjaar** | 1992 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | Stripping |

## IBERICA SPD 105F | 2007

| | |
|---|---|
| **Bouwjaar** | 2007 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/26 |
| **Technische specificaties** | Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate |

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure

## ASCON 700 | 2000

| | |
|---|---|
| **Bouwjaar** | 2000 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/2025 |
| **Technische specificaties** | Stapelkeerder |

# POST-PRESS

## TOUCHLINE CF 375 | 2018

| | |
|---|---|
| **Bouwjaar** | 2018 |
| **Druks** | 0 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | automated, high-speed creasing and folding machine designed for digital and offset print finishing |

## DUPLO DC 646 | 2015

| | |
|---|---|
| **Bouwjaar** | 2015 |
| **Druks** | 0 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | Cutter, Creaser |

## POLAR 92E | 1997

| | |
|---|---|
| **Bouwjaar** | 1997 |
| **Druks** | 0 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | Programs, Airtable, Photocells, Spareknife |

## POLAR RA2 | 2003

| | |
|---|---|
| **Bouwjaar** | 2003 |
| **Druks** | 0 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 9/2026 |
| **Technische specificaties** | Jogger, Air removal |

## STAHL TI 52/4/4 | 2009

| | |
|---|---|
| **Bouwjaar** | 2009 |
| **Druks** | 0 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | Flatpile feeder, 1st section 4 buckles, 2nd section 4 buckles, Anti-Noise hoods, SAK 56 shingle belt delivery, Pump |

## POLAR 78X | 2009

| | |
|---|---|
| **Bouwjaar** | 2009 |
| **Druks** | 0 mio |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 1/2027 |
| **Technische specificaties** | Programs, Airtable, Photocells, Spareknife |

## MULLER MARTINI VENTURA 3215 | 2007

| | |
|---|---|
| **Bouwjaar** | 2007 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/2026 |
| **Technische specificaties** | Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour |



## THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

| | |
|---|---|
| **Bouwjaar** | 2002 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/2025 |
| **Technische specificaties** | 15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer |

## HOHNER HSB 7000 (6+1)

| | |
|---|---|
| **Bouwjaar** | 2007 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/2026 |
| **Technische specificaties** | Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema’s |

## MULTIMASTER CAS 35/2 PBA

| | |
|---|---|
| **Bouwjaar** | 2006 |
| **Bezichtiging** | In productie |
| **Beschikbaarheid** | 10/2025 |
| **Technische specificaties** | Computergestuurde vouwmachine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM; |