



VAN DER WEKKEN
GRAFISCHE MACHINES

PAPERCONVERTING



HEIBER AND SCHRÖDER CE 850-2 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
1/2026
Double lane, Belt feeder, Alignment chain station, Cliché gluing unit, 4 discs, Electronic counter with strip marking



DIGISTAR WPPP 1100 | 2010

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2010
In productie
1/2026
Full window patching line, Timed belt feeder with chain station, Gluing station, Pick & place feeder with 1 window magazine, Window patching station, Carton aligning system, Vacuum upper driver for delivery, Kit tele-service, Delivery belt, IWT Dynatec Dynamelt Hot-melt with 2 pistols

PRESS



KOMORI GL 540 + C | 2013

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2013
157 mio
In productie
6/2026
PDC-SX Spectral density control, KID display, komori info display wallscreen, KHS-AI, advanced interface pre inking system, AMR, Komorimatic dampening units with Technotrans BETA C refrigeration and re-circulation unit, Technotrans Alcosmart DSP, APC, automatic plate changer, Inking unit temperature control Technotrans, Automatic Wash-up devices for inking rollers, Automatic Wash-up devices for blanket and impression cylinders, Venturi Air System, up to 1mm thickness, Dedicated coater with Harris & Bruno chambered doctor blades, Baldwin IR dryer, Extended delivery, Skeleton cylinders, Aircooled with pumps and



HEIDELBERG PM 52-5 | 2005

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2005
31 mio
In productie
1/2026
Prinect Classic Center with ink remote control, Alcolor dampening units with Baldwin refrigeration and re-circulation unit, Heidelberg AUTOPLATE, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket cylinders, Electronic side-lay control, Grafix Alphatronic 200 powderspray, Heidelberg tapesuction feederbelt max. 13.000 sheets per hour, Books, tools and schedules



HEIDELBERG CD 102-5+L (X1) | 2016

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2016
96 mio
In productie
2/2026
Press Center Compact, Easy control, spectral measuring device, Alcolor dampening units with Technotrans CombiStar BETA C 170, Technotrans Alcocontrol, Heidelberg Autoplate, Preset Plus Feeder, Preset Plus Delivery, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders with cloths, Technotrans inking unit temperature control, Dedicated coater with chambered doctor blades TRESU, X1 delivery with IR Dryer DryStar 2, Non-Stop feeder with poles, Non-Stop delivery with racks, Anti-Static Compact feeder and delivery, Steelplate feeder and delivery, Weko AP 262 powderspray, Scroll Star Plus II, AirStar Pro watercooled, Watercooled machine with Technotrans Beta PS and chiller



HEIDELBERG XL 75-7 LX UV F | 2013

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2013
82 mio
In productie
2/2026
HYBRID machine, Prinect Press Center, Prinect Axis Control, InstantStart, WallScreen, AutoPlate, CANopen, Alcolor with dampening Technotrans CombiStar, 4 x IST UV Interdecks, interchangeable all positions, IST UV end dryer, DryStar IR Combination, Inkline, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Technotrans Inking unit temperature control, Intercom, StaticStar Advanced, AirStar Pro, Dedicated coater



VAN DER WEKKEN
GRAFISCHE MACHINES

with chambered doctor blades, Extended delivery X3, Non-Stop feeder, Non-Stop delivery with racks, F-size: 605 x 750MM, Watercooled machine



TOPPY 720 X 1040MM | 2008

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
In productie
10/2025
Electric moveable pile turner, 72 x 104 CM, capacity 1000KG



HEIDELBERG OHT FOLIEDEGEL | 1968

Bezichtiging
Beschikbaarheid
Technische specificaties

Gedemonteerd
10/2025
Degel met folie inrichting.



HEIDELBERG XL 106-5LX (X2) 18K MACHINE | 2018

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2018
184 Mio
In productie
1/2026
Prinect Inpress Control 2, Prinect Press Center XL2, Wallscreen XL, Intellistart 2, Push to Stop, Autoplate XL 2, Hycolor high performance inking and dampening system with CombiStar CAN, FilterStar Compact, Inking unit temperature control, Automatic inking unit wash-up device, Program-controlled blanket washup device, Program-controlled impression cylinder washup device, InkStar CAN, Preset Plus feeder, Preset Plus delivery, Dedicated coater with chambered doctor blades, CoatingStar CAN, DryStar with 3 slide-in units, Extended delivery X2, PowderStar AP 500 CAN, StaticStar Compact with ionization in feeder and delivery, AirStar Pro, air-cooled, ScrollStar, Heidelberg tapesuction feederbelt max 18000 sheets per hour



VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 105U-5+L ALV 2 PWVA | 2008



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
236 Mio
In productie
11/2025
Ergotronic, Rutherford system with
Intellitrax scanning, Varidamp dampening
units with Baldwin R&R unit, Automatic
Washers, FAPC fully automatic plate
changer, InkTemp, UV interdeck unit 1and
5, Interchangeable unit 2, Dedicated coater
with chambered doctor blades, Harris and
Bruno, Suitable for UV and Conventional
coating, IR/UV EOP, Weko AP 130
powderspray, Steeplate feeder and
delivery, Ionization feeder and delivery,
Max 15.000 sheets per hour, HYBRID
MACHINE



KOMORI LS 840P | 2004

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2004
160 mio
In productie
10/2025
PQC with PDC Lite II, Komorimatic
dampening units with Technotrans BETA
unit, KMS, AMR, APC automatic plate
changer, Automatic wash-up devices for
inking rollers, Automatic wash-up devices
for blanket and impression cylinders,
Inking unit temperature control, Grafix
Digitronic powderspray, Perfecting 8/0 –
4/4



BOBST SP 102E | 1992

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1992
In productie
2/2026
Stripping



IBERICA SPD 105F | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Sheet size max 750 x 1050MM, Sheet size
min 350 x 400MM, Max mechanical speed
9000sph, Max impression strength 300
tons, Max cardboard thickness 1,5MM, Max
corrugated board 3MM, Automatic feeder
with floating platform for direct plate



VAN DER WEKKEN
GRAFISCHE MACHINES

loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



ASCON 700 | 2000

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2000
In productie
10/2025
Stapelkeerder



HEIDELBERG SPEEDMASTER PM 52-2 | 2007

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
27 mio
In productie
10/2025
PressCenter, Lasergeslepen inktbakken met lamelverstelling, Alcolor vochtwerken met Baldwin unit, Heidelberg EasyPlate, Automatische wasinrichtingen voor inktwerken en rubberdoekcilinders, Mediprint poederapparaat, Heidelberg zuigbandinleg max 13000 vel per uur



HEIDELBERG OHT FOLIEDEGEL | 1973

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1973
Gedemonteerd
10/2025
Degel met folie inrichting.

POST-PRESS



VAN DER WEKKEN
GRAFISCHE MACHINES

BOBST DOMINO 100-M | 1980



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1980
In productie
1/2026
Straight-line, Lock-bottom, 4 corner, HHS
gluing station 2 guns



HEIDELBERG BCUH 56/6 | 2008

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
In productie
10/2025
FFH 56 flatpile feeder, 6 buckles parallel, 2
knives, Folding plate, Anti-Noise hoods,
HHS glue unit, SPH 70 delivery, Pump, Size
max 56x90CM, Size min 14x18CM



POLAR 92ED FLOW LINE | 2003

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties


2003
In productie
9/2025
Programs, photocells, airtable, sidetable
left and right with air, RA2 jogger with air
removal, POLAR LW 1000-4 lift, Scale



MULLER MARTINI VENTURA 3215 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Feeder and/or knife opening, Innovative
sewing system, Patented loop formation
with compressed air, Quick change
between different type of stitches,
Equipped with: Suction opening 4 + 4 for
products with or without over fold, Optical
scanning system, Additional parts for
processing of thin printing, Stacker
delivery, Max signature length: 510mm



THEISEN AND BONITZ TB SPRINT 315VP INCL 304QSM | 2002

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2002
In productie
10/2025
15 stations collator, 304QSM folding-stitching (4x Hohner heads)-trimmer



HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Ti-52 eerste sectie 4 tassen, Ti52 tweede sectie 4 tassen, Geluidskappen, SAK 56 uitleg, Pomp



HOHNER HSB 7000 (6+1)

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
10/2025
Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema's



MULTIMASTER CAS 35/2 PBA

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2006
In productie
10/2025
Computergestuurde vouwmaschine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM;