VAN DER WEKKEN
GRAFISCHE MACHINES

KBA RA 106X – 8+L SW4 FAPC ALV 2 | 2020



Bouwjaar	2020
Druks	63 mio
Bezichtiging	In productie
Beschikbaarheid	1/2027

Technische specificaties	High Speed Package, 18000 sph, ErgoTronic Console with TouchTronic, ErgoTronic ColorControl, ErgoTronic Lab, ErgoTronic Color Quality Protocol, ErgoTronic ACR, ErgoTronic ImageZoom, InLine QualiTronic ColorControl, QualiTronic PDF Check, QualiTronic Reduced Control Strip Height, LogoTronic Professional, Wallscreen, ColorTronic Ink Metering with Ink Profile, Thin Paper Package, Sound Insulation for Feeder Head, DriveTronic Feeder, F-APC, Metal Cylinders after Perfecting Unit under Perfecting Jackets, Upgraded Ink Ducts with Air For Smooth Ink Coverage, Technotrans High-Tech Combination Unit Beta-C, Pile Board with Separate Ramp, Suction Feed Belt, Electronically Controlled Set Slow Down, Format Presetting for Ergotronic, Automatic Motorised Pile Centering +/- 25mm, Shiftable Pile Centering Device about SIS Sensor, Electromechanical Multiple Sheet Detector with Adjustment Monitoring, Continuous Stepless Pile Lift with Automatic Adjustment to substrate thickness (paper/cardboard), Antistatic in Feeder & Delivery, Non-Stop Feeder with Individual Rods, Misaligned Sheet Correction at the Feeder Head During Press Run, Swing Arm Grip System, Photoelectric Front Lay Control, Adjustment of the Individual Front Lays, SIS Sensoric Infeed System, Pneumatic Suction Rollers, Ultrasonic Double Sheet Detector, Optical Misaligned Shet Sensors, Touch Display with Short Cut Keys

© Van der Wekken Grafische Machines | De Kolk 54, 8255 PE Swifterbant | +31 (0)321 323 198 | remco@vdwekken.nl

Categorieën: 8 kleuren







